



ZSIVIRA

ZEOPALIN 7794

Biodegradable Degreasing Agent

Chemical composition	Blend of Alkoxylates.
Appearance	Clear Transparent Liquid
Charge	Nonionic
In Stability to electrolytes	Stable to acids and salts
Shelf life	Up to 10 months from the date of manufacture

Field of application :

ZEOPALIN 7794 can be used in both pre-tanning and post-tanning of all kinds of leathers.

Properties :

- » ZEOPALIN 7794 is free from APEO, NPEO and nonionic product with complete REACH Compliance.
- » Can be used in soaking, liming, degreasing and also wet back.
- » Excellent degreasing properties by way of removing fat and phenomenal reduction in FFA (Free Fatty Acids) is found in all types of leather.
- » Enables the even distribution and absorption of the chrome tannage.
- » Improves the evenness of the dyeing in post tanning operations.
- » Biodegradable.

*Note : The product being combination of various raw materials, there are chances of variations in colour and viscosity. The property and application of the product will remain same.
Store within 5°C to 35°C in original pack with tightly closed.*

The above information on application on leather is given in accordance to the best of our knowledge and our lab applications. As the usage of the product by the consumer is not under our control, we are not liable for any sort of claims or reimbursements. The product is given without any guarantee/warranty in connection to end use.

ZSIVIRA CHEMIE MERK PRIVATE LIMITED

www.zsiviraindia.com info@zsiviraindia.com



ZSIVIRA

ZEOPALIN 7794

Biodegradable Degreasing Agent

Usage Quantities:

The actual usage quantity depends upon the origin and nature of leather. But we recommend the below as a guideline to usage which need to be tuned as per tanning requirement need on case to case basis :

Soaking & Liming:

Skins : 0.15% to 0.30%
Hides : 0.10% to 0.25%

Degreasing:

Low Fat Hide : 0.15% to 0.35% on pelt weight
Low Fat Skins : 0.3% to 1.0% on pelt weight
High Fat Skins : 4% to 8% on pelt weight

Bated Sheep : 1.0 - 4.0 %
Bated Lamb : 2.0 - 6.0%
Pickled Goat : 1.0 - 5.0%
Pickled Sheep : 2.0 to 7.0%
Chrome tanned split : 0.5 to 4.0%

In Wet Back :

On Shaved Weight :
Hides : 0.25% to 0.5%
Skins : 0.25% to 1.0%

*Note : The product being combination of various raw materials, there are chances of variations in colour and viscosity. The property and application of the product will remain same.
Store within 5°C to 35°C in original pack with tightly closed.*

The above information on application on leather is given in accordance to the best of our knowledge and our lab applications. As the usage of the product by the consumer is not under our control, we are not liable for any sort of claims or reimbursements. The product is given without any guarantee/warranty in connection to end use.

ZSIVIRA CHEMIE MERK PRIVATE LIMITED

www.zsiviraindia.com info@zsiviraindia.com